



35714  
Attorney Docket: BHT/3143-3  
41

Applicant : DAVIDOV  
Application No. : 09/924,471  
Filed : August 9, 2001  
Title : LID HAVING INTEGRAL ONE-PIECE  
EATING UTENSIL  
Group Art Unit : 3727  
Examiner : R. Hylton  
Docket No. : BHT/3143-3

RECEIVED  
NOV 12 2004  
TECHNOLOGY CENTER R3700

**MAIL STOP AMENDMENT**  
Honorable Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**TRANSMITTAL COVER SHEET**

Sir:

Transmitted herewith for filing are the following:


1. AMENDMENT - in response to Office Action of May 5, 2004, along with certified translation of German Patent No. 200 00 079 UI.
2. PETITION FOR A THREE-MONTH EXTENSION OF TIME (in duplicate), along with authorization to charge **Deposit Account No. 501874** in the amount of \$490.00 to cover the Small Entity extension fee.
3. LETTER TO THE OFFICIAL DRAFTSPERSON, along with three (3) sheets of replacement formal drawings (Figs. 1-8).

The Commissioner is hereby authorized to charge any fees which may be required for the filing of this document to Deposit Account No. 501874.

Respectfully submitted,

Date: November 5, 2004

By:

  
\_\_\_\_\_  
Bruce H. Troxell  
Reg. No. 26,592

TROXELL LAW OFFICE PLLC  
5205 Leesburg Pike, Suite 1404  
Falls Church, Virginia 22041  
Telephone: 703 575-2711  
Telefax: 703 575-2707



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : DAVIDOV  
Application No. : 09/924,471  
Filed : August 9, 2001  
Title : LID HAVING INTEGRAL ONE-PIECE  
EATING UTENSIL  
Group Art Unit : 3727  
Examiner : R. Hylton  
Docket No. : BHT/3143-3

Honorable Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

RECEIVED  
NOV 12 2004  
TECHNOLOGY CENTER R3700

**LETTER TO THE OFFICIAL DRAFTSPERSON**


Sir:

Enclosed are three (3) sheets of new formal drawings (FIGS. 1-8) for the patent application noted above. Approval of the formal drawings is respectfully requested.

Respectfully submitted,

Date: November 5, 2004

By:

  
Bruce H. Troxell  
Reg. No. 26,592

TROXELL LAW OFFICE PLLC  
5205 Leesburg Pike, Suite 1404  
Falls Church, Virginia 22041  
Telephone: (703) 575-2711  
Telefax: (703) 575-2707



09/924471

19 FEDERAL REPUBLIC OF GERMANY

[emblem]

GERMAN PATENT AND TRADEMARK OFFICE

12 Utility Model Specification

10 DE 200 00 079 U1 51 Int. Cl.<sup>7</sup>:

RECEIVED  
NOV 12 2004  
TECHNOLOGY CENTER R3700

B 65 D 51/28

B 65 D 77/24

21 File reference: 200 00 079.9

22 Date of application: January 4, 2000

47 Date of entry: March 30, 2000

43 Announcement in Patent Gazette: May 4, 2000

73 Holder:

Heidorn, Benjamin, 53474 Bad Neunahr-Ahrweiler, DE

54 Lid with Integral Spoon to Be Pressed out

57 A lid with an integral spoon to be pressed out that can be used, for example, as a lid of yogurt cups or the like in accordance with Fig. 1 and Fig. 5,

- and the lid with integral spoon to be pressed out in accordance with Fig. 1 is manufactured in one piece, for example, by casting in a mold,

- whereby the spoon is in two parts, that is, the spoon consists of a mouthpiece with plug-in device (1) and of a grip with plug-in device (2),

- the mouthpiece with plug-in device (1) is inserted as shown in Fig. 2 onto the grip with plug-in device so that the spoon is stable.

#### Lid with Integral Spoon to Be Pressed out

Lids of yogurt cups or the like, for example, are usually only intended as reinforcement for the cup and protect them from outside influences. They otherwise remain unused, whereby they could contain an integral spoon (Fig. 1). This would be helpful especially at gas stations, snack bars, rest stops, etc., where often the spoons are missing. Especially in Europe where in recent years health consciousness has increased, healthy nutrition should not fail because of the lack of a spoon.

The invention indicated in claim 1 is based upon the object of incorporating a spoon into a cup or alid.

This problem is solved with the features presented in patent claim 1. In order for the two-part spoon to be also stable enough for use, the spoon is provided with stabilizing bars on the reverse side (Fig. 3).

With the invention, it is ensured that a cup is always available with spoon and yogurt, pudding etc. can be eaten when desired.

An advantageous configuration of the invention is indicated in claim 2.

The configuration according to claim 2, i.e. of gluing a special label (3) (Fig. 5) on the lid with integral spoon (Fig. 1), protects the spoon from frequent touching of the cup (hygienic aspect).

An embodiment is explained on the basis of Fig. 1 to 5, wherein:

- Fig. 1 Illustrates the lid with integral spoon to be pressed out;
- Fig. 2 Illustrates the plug-in process of the mouthpiece (1) and the grip (2);
- Fig. 3 Illustrates the assembled spoon with stabilizing struts on the reverse
- Fig. 4 Illustrates the assembled spoon from the front
- Fig. 5 Illustrates how the lid (Fig. 1) and the label are pressed on the cup.

The lid with mouthpiece (1) and grip (2) are represented in the Figures. The lid with label (3) is pressed on the cup (4) and consequently represents the ready cup with the new invention.

The lid with spoon to be pressed out in accordance with Fig. 1 is manufactured in one piece, for example, by means of casting into a mold (material: plastic or the like).

The lid (Fig. 1) is removed prior to consuming the content of the cup, the mouthpiece (1) and the grip (2)

are pressed out from above on the label (3) or lid in accordance with Fig. 1 and assembled according to Fig. 2

Description page 2

Fig. 3 and 4 illustrate the assembled spoon with its stabilizing struts on the reverse.

Fig. 5 illustrates how label and lid are joined with the cup.

[Signature]

Benjamin Heidorn

Lid with Integral Spoon to Be Pressed out

1.     A lid with integral spoon to be pressed out, that, for example can be used as a lid of yogurt cups or the like,  
in accordance with Fig. 1 and Fig. 5  
  - and the lid with integral spoon to be pressed out in accordance with Fig. 1 is manufactured in one piece,  
for example, by casting in a mold,
  - whereby the spoon is in two parts, that is, the spoon consists of a mouthpiece with plug-in device (1) and  
of a grip with plug-in device (2),
  - the mouthpiece with plug-in device (1) is inserted as shown in Fig. 2 onto the grip with plug-in device so  
that the spoon is stable.
1.     Lid with integral spoon to be pressed out according to claim 1,  
  - so that the spoon is also hygienically protected against frequent handling, the lid in accordance with Fig. 1  
is protected with a special label (3, transparent) that has the same diameter as the lid in accordance with  
Fig. 5.

[Signature]

Benjamin Heidorn



# CERTIFICATION

Schreiber Translations, Inc.

51 Monroe Street

Suite 101

Rockville, MD 20850

P: 301.424.7737

F: 301.424.2336

This is to certify that the attached English language document,

identified as German Patent 09/924471, is a true and accurate translation of the original German language document to the best of our knowledge and belief.

Executed this 15th day  
of July, 2004

Schreiber Translations, Inc.  
51 Monroe Street, Suite 101  
Rockville, Maryland 20850  
ATA Member 212207

Schreiber Translations, Inc. uses all available measures to ensure the accuracy of each translation, but shall not be held liable for damages due to error or negligence in translation or transcription.